



About us

Our company is set of research, development, production ,sales and service in one of high-quality global bathroom accessories suppliers. We are specializing in producing high-quality UF toilet seat cover, PP toilet seat cover, toilet water tank and flush system.

Our company goal is “ high starting point, high grade and high requirement”. Our QC team is strict controlling each production processes that is committed to supporting its products every accessory perfect fit.

Our company producing series of products, many styles, internal functions and designs create a original style, unique production technology and production processes which using traditional techniques and modern technology combine to continuously reform and innovation to perfect every detail.

The company purpose is “co-operative, the supremacy of credibility”.

We would offer high quality, competitive price and good service to our honored guests.

We are in hope of establishing mutually beneficial and long business with you.



Cover Plate
PP




UF Cover Plate



A-001




Material	PP
Size	470x380mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-002




Material	PP
Size	460x370mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-009




Material	PP
Size	420x340mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Extended feet	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No stretched Inflation	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-010




Material	PP
Size	430x335mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Extended feet	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No stretched Inflation	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-003




Material	PP
Size	450x380mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-004




Material	PP
Size	420x355mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Extended feet	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No stretched Inflation	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-011




Material	PP
Size	415x375mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-012




Material	PP
Size	450x360mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-005




Material	PP
Size	435x355mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-006




Material	PP
Size	450x375mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-013




Material	PP
Size	400x355mm
Foot Model	
<input checked="" type="checkbox"/> No slow down foot	



A-014




Material	PP
Size	455x365mm
Foot Model	
<input checked="" type="checkbox"/> No slow down foot	



A-007




Material	PP
Size	470x360mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-008




Material	PP
Size	470x400mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-015




Material	PP
Size	410x350mm
Foot Model	
<input checked="" type="checkbox"/> No slow down foot	



A-016



Material	PP
Size	420x365mm
Foot Model	
<input checked="" type="checkbox"/> No slow down foot	



A-017

Material	PP
Size	440x355mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute

A-018

Material	PP
Size	460x370mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute

A-025

Material	PP
Size	445x395mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute

A-026

Material	PP
Size	435x370mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute

A-019

Material	PP
Size	470x370mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute

A-020

Material	PP	
Size	430x345mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	400-460	65-185
QQ 5.5cm	395-465	55-195
QQ 6.5cm	385-475	35-215

A-027

Material	PP
Size	450x370mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute

A-028

Material	PP
Size	420x335mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute

A-021

Material	PP	
Size	435x350mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	405-465	80-200
QQ 5.5cm	400-470	75-210
QQ 6.5cm	390-480	55-230

A-022

Material	PP	
Size	480x370mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	450-510	80-200
QQ 5.5cm	445-515	75-210
QQ 6.5cm	435-525	55-230

A-029

Material	PP
Size	425x335mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute

A-029B

Material	PP
Size	425x335mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute

A-023

Material	PP
Size	425x355mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute

A-024

Material	PP
Size	450x370mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No stretched Inflation	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute

A-030

Material	PP
Size	420x340mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute


A-031

Material	PP
Size	425x345mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute

A-032




Material	PP	
Size	460x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	100-220
QQ 5.5cm	425-495	90-230
QQ 6.5cm	415-505	70-250



A-033




Material	PP	
Size	430x350mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Lengthened foot		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No Straight expansion		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-040




Material	PP	
Size	460x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	80-200
QQ 5.5cm	425-495	70-210
QQ 6.5cm	415-505	50-230



A-041




Material	PP	
Size	478x403mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	448-508	80-200
QQ 5.5cm	443-513	70-210
QQ 6.5cm	433-523	50-230



A-034




Material	PP	
Size	420x340mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Lengthened foot		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No Straight expansion		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-035




Material	PP	
Size	450x360mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Lengthened foot		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No Straight expansion		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-042




Material	PP	
Size	464x364mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	434-494	80-200
QQ 5.5cm	429-499	70-210
QQ 6.5cm	419-509	50-230



A-043




Material	PP	
Size	475x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	445-505	80-200
QQ 5.5cm	440-510	70-210
QQ 6.5cm	430-520	50-230



A-036




Material	PP	
Size	460x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	85-225
QQ 5.5cm	425-495	75-235
QQ 6.5cm	415-505	55-255



A-037




Material	PP	
Size	455x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	425-485	150-270
QQ 5.5cm	420-490	140-280
QQ 6.5cm	410-500	120-300



A-044




Material	PP	
Size	440x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	410-470	70-190
QQ 5.5cm	405-475	60-200
QQ 6.5cm	395-485	40-220



A-045




Material	PP	
Size	430x355mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Lengthened foot		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No Straight expansion		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-038




Material	PP	
Size	440x355mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Lengthened foot		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No Straight expansion		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-039




Material	PP	
Size	435x350mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Lengthened foot		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No Straight expansion		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-046




Material	PP	
Size	415x340mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Lengthened foot		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No Straight expansion		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-047




Material	PP	
Size	430x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	400-460	110-230
QQ 5.5cm	395-465	100-240
QQ 6.5cm	385-475	80-260



A-048




Material	PP
Size	440x360mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Extended feet	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No stretched inflation	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-049




Material	PP
Size	460x360mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-056




Material	PP
Size	440x375mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-057




Material	PP
Size	440x360mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-050




Material	PP	
Size	465x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	435-495	155-275
QQ 5.5cm	430-500	145-285
QQ 6.5cm	420-510	125-305



A-051




Material	PP	
Size	450x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	55-175
QQ 5.5cm	415-485	45-185
QQ 6.5cm	405-495	25-205



A-058




Material	PP	
Size	460x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	100-220
QQ 5.5cm	425-495	90-210
QQ 6.5cm	415-505	70-230



A-059




Material	PP
Size	460x365mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-052




Material	PP	
Size	475x370mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	445-505	80-200
QQ 5.5cm	440-510	70-210
QQ 6.5cm	430-520	50-230



A-053




Material	PP
Size	435x360mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-060




Material	PP	
Size	450x375mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	60-180
QQ 5.5cm	415-485	50-190
QQ 6.5cm	405-495	30-210



A-061




Material	PP
Size	460x355mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-054




Material	PP
Size	440x360mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-055




Material	PP
Size	440x350mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-062




Material	PP
Size	450x360mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-063




Material	PP
Size	445x360mm
Foot Model	
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot
<input checked="" type="checkbox"/> Lengthened foot	
<input checked="" type="checkbox"/> Widen the long legs	
<input checked="" type="checkbox"/> Widen the extended feet	
<input checked="" type="checkbox"/> Widen the expansion feet	
<input checked="" type="checkbox"/> No Straight expansion	
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute



A-064




Material	PP
Size	430x355mm
Foot Model	
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot
<input type="checkbox"/> Lengthened foot	
<input type="checkbox"/> Widen the long legs	
<input type="checkbox"/> Widen the extended feet	
<input type="checkbox"/> Widen the expansion feet	
<input type="checkbox"/> No Straight expansion	
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute



A-065




Material	PP
Size	445x365mm
Foot Model	
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot
<input type="checkbox"/> Lengthened foot	
<input type="checkbox"/> Widen the long legs	
<input type="checkbox"/> Widen the extended feet	
<input type="checkbox"/> Widen the expansion feet	
<input type="checkbox"/> No Straight expansion	
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute



A-072




Material	PP	
Size	450x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	80-200
QQ 5.5cm	415-485	70-210
QQ 6.5cm	405-495	50-230



A-073




Material	PP
Size	440x375mm
Foot Model	
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot
<input type="checkbox"/> Extended feet	
<input type="checkbox"/> Widen the long legs	
<input type="checkbox"/> Widen the extended feet	
<input type="checkbox"/> Widen the expansion feet	
<input type="checkbox"/> No stretched inflation	
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute



A-066




Material	PP
Size	450x360mm
Foot Model	
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot
<input type="checkbox"/> Lengthened foot	
<input type="checkbox"/> Widen the long legs	
<input type="checkbox"/> Widen the extended feet	
<input type="checkbox"/> Widen the expansion feet	
<input type="checkbox"/> No Straight expansion	
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute



A-067




Material	PP
Size	460x360mm
Foot Model	
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot
<input type="checkbox"/> Lengthened foot	
<input type="checkbox"/> Widen the long legs	
<input type="checkbox"/> Widen the extended feet	
<input type="checkbox"/> Widen the expansion feet	
<input type="checkbox"/> No Straight expansion	
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute



A-074




Material	PP	
Size	485x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	455-515	100-220
QQ 5.5cm	450-520	90-230
QQ 6.5cm	440-530	70-250



A-075




Material	PP	
Size	445x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	415-475	80-200
QQ 5.5cm	410-480	70-210
QQ 6.5cm	400-490	50-230



A-068




Material	PP
Size	430x340mm
Foot Model	
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot
<input type="checkbox"/> Lengthened foot	
<input type="checkbox"/> Widen the long legs	
<input type="checkbox"/> Widen the extended feet	
<input type="checkbox"/> Widen the expansion feet	
<input type="checkbox"/> No Straight expansion	
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute



A-069




Material	PP
Size	400x315mm
Foot Model	
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot
<input type="checkbox"/> Extended feet	
<input type="checkbox"/> Widen the long legs	
<input type="checkbox"/> Widen the extended feet	
<input type="checkbox"/> Widen the expansion feet	
<input type="checkbox"/> No stretched inflation	
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute



A-076




Material	PP	
Size	450x345mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	80-200
QQ 5.5cm	415-485	70-210
QQ 6.5cm	405-495	50-230



A-077




Material	PP	
Size	450x375mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	65-185
QQ 5.5cm	415-485	55-195
QQ 6.5cm	405-495	35-215



A-070 (Children)




Material	PP
Size	330x260mm
Foot Model	
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot
<input type="checkbox"/> Extended feet	
<input type="checkbox"/> Widen the long legs	
<input type="checkbox"/> Widen the extended feet	
<input type="checkbox"/> Widen the expansion feet	
<input type="checkbox"/> No stretched inflation	
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute



A-071




Material	PP	
Size	450x375mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	80-200
QQ 5.5cm	415-485	70-210
QQ 6.5cm	405-495	50-230



A-078




Material	PP	
Size	450x375mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	65-185
QQ 5.5cm	415-485	55-195
QQ 6.5cm	405-495	35-215



A-079




Material	PP	
Size	425x335mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	395-455	80-200
QQ 5.5cm	390-460	70-210
QQ 6.5cm	380-470	50-230



A-080




Material	PP	
Size	420x345mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	390-450	50-170
QQ 5.5cm	385-455	40-180
QQ 6.5cm	375-465	20-200



A-081




Material	PP	
Size	470x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	440-500	100-220
QQ 5.5cm	435-505	90-230
QQ 6.5cm	425-515	70-250



A-088




Material	PP	
Size	455x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	425-485	80-200
QQ 5.5cm	420-490	70-210
QQ 6.5cm	410-500	50-230



A-089




Material	PP	
Size	455x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	425-485	100-220
QQ 5.5cm	420-490	90-230
QQ 6.5cm	410-500	70-250



A-082




Material	PP	
Size	455x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	425-485	70-190
QQ 5.5cm	420-490	60-200
QQ 6.5cm	410-500	40-220



A-083




Material	PP	
Size	450x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	85-145
QQ 5.5cm	415-485	75-155
QQ 6.5cm	405-495	55-175



A-090 (Dual)




Material	PP	
Size	470x365mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Extended feet		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No stretched inflation		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-091




Material	PP	
Size	450x375mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	50-170
QQ 5.5cm	415-485	40-180
QQ 6.5cm	405-495	20-200



A-084




Material	PP	
Size	450x365mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Extended feet		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No stretched inflation		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-085




Material	PP	
Size	470x350mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	440-500	80-200
QQ 5.5cm	435-505	70-210
QQ 6.5cm	425-515	50-230



A-092




Material	PP	
Size	440x350mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	410-470	80-200
QQ 5.5cm	405-475	70-210
QQ 6.5cm	395-485	50-230



A-093




Material	PP	
Size	450x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	80-200
QQ 5.5cm	415-485	70-210
QQ 6.5cm	405-495	50-230



A-086




Material	PP	
Size	450x350mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	80-200
QQ 5.5cm	415-485	70-210
QQ 6.5cm	405-495	50-230



A-087




Material	PP	
Size	470x365mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Extended feet		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No stretched inflation		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-094




Material	PP	
Size	435x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	405-465	70-190
QQ 5.5cm	400-470	60-200
QQ 6.5cm	390-480	40-220



A-095




Material	PP	
Size	440x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	410-470	80-200
QQ 5.5cm	405-475	70-210
QQ 6.5cm	395-485	50-230



A-096




Material	PP	
Size	440x355mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	410-470	80-200
QQ 5.5cm	405-475	70-210
QQ 6.5cm	395-485	50-230



A-097




Material	PP	
Size	440x355mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Extended feet		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No stretched inflation		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-104




Material	PP	
Size	430x345mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	400-460	70-220
QQ 5.5cm	395-465	60-200
QQ 6.5cm	385-475	40-220



A-105




Material	PP	
Size	460x355mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	95-215
QQ 5.5cm	435-495	85-225
QQ 6.5cm	445-505	65-245



A-098




Material	PP	
Size	465x365mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	435-495	80-200
QQ 5.5cm	430-500	70-210
QQ 6.5cm	420-510	50-230



A-099




Material	PP	
Size	433x330mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Extended feet		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No stretched inflation		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-106




Material	PP	
Size	420x330mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	390-450	60-180
QQ 5.5cm	385-455	50-190
QQ 6.5cm	375-465	30-210



A-107




Material	PP	
Size	450x360mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	80-200
QQ 5.5cm	415-485	70-210
QQ 6.5cm	405-495	60-230



A-100




Material	PP	
Size	480x370mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	450-510	80-200
QQ 5.5cm	445-515	70-210
QQ 6.5cm	435-525	50-230



A-101




Material	PP	
Size	450x370mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	100-220
QQ 5.5cm	425-485	90-230
QQ 6.5cm	435-495	70-250



A-108




Material	PP	
Size	450x370mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	80-200
QQ 5.5cm	415-485	70-210
QQ 6.5cm	405-495	50-230



A-109




Material	PP	
Size	455x360mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	425-485	100-220
QQ 5.5cm	420-490	90-230
QQ 6.5cm	410-500	70-250



A-102




Material	PP	
Size	450x360mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	80-200
QQ 5.5cm	425-485	70-210
QQ 6.5cm	435-495	50-230



A-103




Material	PP	
Size	460x360mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	80-200
QQ 5.5cm	425-495	70-210
QQ 6.5cm	415-505	50-230



A-110




Material	PP	
Size	420x355mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	390-450	80-200
QQ 5.5cm	385-455	70-210
QQ 6.5cm	375-465	50-230



A-111




Material	PP	
Size	465x370mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Lengthened foot		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No Straight expansion		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-112




Material	PP	
Size	470x360mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	440-500	80-200
QQ 5.5cm	435-505	70-210
QQ 6.5cm	425-515	50-230



A-113




Material	PP	
Size	435x345mm	
Foot Model		
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot	
<input checked="" type="checkbox"/> Extended feet		
<input checked="" type="checkbox"/> Widen the long legs		
<input checked="" type="checkbox"/> Widen the extended feet		
<input checked="" type="checkbox"/> Widen the expansion feet		
<input checked="" type="checkbox"/> No stretched Inflation		
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute	



A-501




Material	PP	
Size	450x380mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	415-485	55-195
QQ 6.5cm	405-495	35-215



A-502




Material	PP	
Size	430x345mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	395-465	55-195
QQ 6.5cm	385-475	35-215



A-114




Material	PP	
Size	455x360mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	425-485	70-190
QQ 5.5cm	420-490	60-200
QQ 6.5cm	410-500	40-220



A-115




Material	PP	
Size	420x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	390-450	80-200
QQ 5.5cm	385-455	70-210
QQ 6.5cm	375-465	50-230



A-503




Material	PP	
Size	450x350mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	415-485	55-195
QQ 6.5cm	405-495	35-215



A-504




Material	PP	
Size	455x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	420-490	55-195
QQ 6.5cm	410-500	35-215



A-116




Material	PP	
Size	410x365mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	380-440	75-195
QQ 5.5cm	375-445	65-205
QQ 6.5cm	365-455	45-225



A-117




Material	PP	
Size	470x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	440-500	65-185
QQ 5.5cm	435-505	55-195
QQ 6.5cm	425-515	35-215



A-505




Material	PP	
Size	440x335mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	405-475	55-195
QQ 6.5cm	395-485	35-215



A-506




Material	PP	
Size	420x335mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	385-455	55-195
QQ 6.5cm	375-465	35-215



A-118




Material	PP	
Size	445x345mm	
Hinge Type	Top Installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	415-475	80-200
QQ 5.5cm	410-480	70-210
QQ 6.5cm	400-490	50-230



A-222




Material	PP	
Size	460x350mm	
Foot Model		
<input checked="" type="checkbox"/> Long foot	<input checked="" type="checkbox"/> Short foot	
<input checked="" type="checkbox"/> Lengthened foot		
<input checked="" type="checkbox"/> Widen the long legs		
<input checked="" type="checkbox"/> Widen the extended feet		
<input checked="" type="checkbox"/> Widen the expansion feet		
<input checked="" type="checkbox"/> No Straight expansion		
<input checked="" type="checkbox"/> Slow down	<input checked="" type="checkbox"/> Buffer mute	



A-507




Material	PP	
Size	470x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	435-505	55-195
QQ 6.5cm	425-515	35-215



A-508




Material	PP	
Size	435x350mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	400-470	55-195
QQ 6.5cm	390-480	35-215




A-509

Material	PP	
Size	460x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	425-495	55-195
QQ 6.5cm	415-505	35-215




A-510

Material	PP	
Size	460x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	425-495	55-195
QQ 6.5cm	415-505	35-215




A-517

Material	PP	
Size	420x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	385-455	55-195
QQ 6.5cm	375-465	35-215




A-518

Material	PP	
Size	470x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	435-505	55-195
QQ 6.5cm	425-515	35-215




A-511

Material	PP	
Size	470x375mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	435-505	55-195
QQ 6.5cm	425-515	35-215




A-512

Material	PP	
Size	470x375mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	435-505	55-195
QQ 6.5cm	425-515	35-215




A-519

Material	PP	
Size	470x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	435-505	55-195
QQ 6.5cm	425-515	35-215




A-520

Material	PP	
Size	460x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	425-495	55-195
QQ 6.5cm	415-505	35-215




A-513

Material	PP	
Size	445x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	410-480	55-195
QQ 6.5cm	400-490	35-215




A-514

Material	PP	
Size	420x340mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	385-455	55-195
QQ 6.5cm	375-465	35-215




A-521

Material	PP	
Size	450x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	415-485	55-195
QQ 6.5cm	405-495	35-215




A-522

Material	PP	
Size	450x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	415-485	55-195
QQ 6.5cm	405-495	35-215




A-515

Material	PP	
Size	485x380mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	450-515	55-195
QQ 6.5cm	440-525	35-215




A-516

Material	PP	
Size	465x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	430-500	55-195
QQ 6.5cm	420-510	35-215




A-523

Material	PP	
Size	465x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	430-500	55-195
QQ 6.5cm	420-510	35-215



A-524


Material	PP	
Size	475x380mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	440-510	55-195
QQ 6.5cm	430-520	35-215



A-525




Material	PP	
Size	455x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	420-490	55-195
QQ 6.5cm	410-500	35-215



A-526




Material	PP	
Size	440x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	405-475	55-195
QQ 6.5cm	395-485	35-215



A-665




Material	PP	
Size	440x370mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Lengthened foot		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No Straight expansion		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-666




Material	PP	
Size	440x370mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
<input type="checkbox"/> Lengthened foot		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No Straight expansion		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



A-527




Material	PP	
Size	490x380mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	460-520	65-185
QQ 5.5cm	455-525	55-190
QQ 6.5cm	445-535	35-210



A-528




Material	PP	
Size	485x380mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	455-515	70-190
QQ 5.5cm	450-520	60-195
QQ 6.5cm	440-530	40-205



A-667




Material	PP	
Size	460x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	65-185
QQ 5.5cm	425-495	55-195
QQ 6.5cm	415-505	35-215



A-668




Material	PP	
Size	460x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	65-185
QQ 5.5cm	425-495	55-195
QQ 6.5cm	415-505	35-215



A-529




Material	PP	
Size	465x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	430-500	55-195
QQ 6.5cm	420-510	35-215



A-530




Material	PP	
Size	420x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	390-450	85-205
QQ 5.5cm	385-455	75-215
QQ 6.5cm	375-465	55-235



A-669




Material	PP	
Size	440x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	410-470	65-185
QQ 5.5cm	405-475	55-195
QQ 6.5cm	395-485	35-215



AS-001




Material	PP	
Size	450x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	60-180
QQ 5.5cm	415-485	50-190
QQ 6.5cm	405-495	30-210



A-532




Material	PP	
Size	445x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	415-475	65-185
QQ 5.5cm	410-480	55-195
QQ 6.5cm	400-490	35-215



A-222




Material	PP	
Size	460x350mm	
Foot Model		
<input type="checkbox"/> Long foot	<input type="checkbox"/> Short foot	
Adjustable Distance		
<input type="checkbox"/> Lengthened foot		
<input type="checkbox"/> Widen the long legs		
<input type="checkbox"/> Widen the extended feet		
<input type="checkbox"/> Widen the expansion feet		
<input type="checkbox"/> No Straight expansion		
<input type="checkbox"/> Slow down	<input type="checkbox"/> Buffer mute	



AS-002




Material	PP	
Size	450x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	60-180
QQ 5.5cm	415-485	50-190
QQ 6.5cm	405-495	30-210



AS-003




Material	PP	
Size	470x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	440-500	60-180
QQ 5.5cm	435-505	50-190
QQ 6.5cm	425-515	30-210




AS-004

Material	PP	
Size	460x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	70-190
QQ 5.5cm	425-495	60-200
QQ 6.5cm	415-505	40-220




AS-005

Material	PP	
Size	470x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	440-500	80-200
QQ 5.5cm	435-505	70-210
QQ 6.5cm	425-515	50-230




901

Material	UP	
Size	430x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	400-460	110-230
QQ 5.5cm	395-465	100-240
QQ 6.5cm	385-475	80-260




902

Material	UP	
Size	430x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	395-465	55-195
QQ 6.5cm	385-475	35-215




AS-006

Material	PP	
Size	460x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	60-180
QQ 5.5cm	425-495	50-190
QQ 6.5cm	415-505	30-210




AS-007

Material	PP	
Size	470x400mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	440-500	80-200
QQ 5.5cm	435-505	70-210
QQ 6.5cm	425-515	50-230




903

Material	UP	
Size	440x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	405-475	100-240
QQ 6.5cm	395-485	80-260




904

Material	UP	
Size	485x375mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	455-515	70-190
QQ 5.5cm	450-520	60-200
QQ 6.5cm	440-530	40-220




905

Material	UP	
Size	440x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	405-475	55-195
QQ 6.5cm	395-485	35-215



906


Material	UP	
Size	465x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	435-495	70-190
QQ 5.5cm	430-500	60-200
QQ 6.5cm	420-510	40-220



C-001




Material	UF	
Size	455x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	425-485	70-190
QQ 5.5cm	420-490	60-200
QQ 6.5cm	410-500	40-220



C-001




Material	UF	
Size	455x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	425-485	70-190
QQ 5.5cm	420-490	60-195
QQ 6.5cm	410-500	40-205



C-008




Material	UF	
Size	450x385mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	150-270
QQ 5.5cm	415-485	140-280
QQ 6.5cm	405-495	120-300



C-009




Material	UF	
Size	440x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	410-470	150-270
QQ 5.5cm	405-475	140-280
QQ 6.5cm	395-485	120-300



C-002 (Big)




Material	UF	
Size	465x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	435-495	115-235
QQ 5.5cm	430-500	105-245
QQ 6.5cm	420-510	85-265



C-003 (Small)




Material	UF	
Size	425x335mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	395-455	70-190
QQ 5.5cm	390-460	60-200
QQ 6.5cm	380-470	40-220



C-010




Material	UF	
Size	480x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	450-510	140-260
QQ 5.5cm	445-515	130-270
QQ 6.5cm	435-525	110-290



C-011




Material	UF	
Size	460x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	80-200
QQ 5.5cm	425-495	70-210
QQ 6.5cm	415-505	50-230



C-004




Material	UF	
Size	460x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	110-230
QQ 5.5cm	425-495	100-240
QQ 6.5cm	415-505	80-260



C-005




Material	UF	
Size	440x345mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	410-470	100-220
QQ 5.5cm	405-475	90-230
QQ 6.5cm	395-485	70-250



C-012




Material	UF	
Size	460x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	65-185
QQ 5.5cm	425-495	55-195
QQ 6.5cm	415-505	35-215



C-013




Material	UF	
Size	450x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	150-270
QQ 5.5cm	415-485	140-280
QQ 6.5cm	405-495	120-300



C-006




Material	UF	
Size	435x345mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	405-465	100-220
QQ 5.5cm	400-470	90-230
QQ 6.5cm	390-480	70-250



C-007




Material	UF	
Size	445x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	415-475	155-275
QQ 5.5cm	410-480	145-285
QQ 6.5cm	400-490	125-305



C-014




Material	UF	
Size	460x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	70-200
QQ 5.5cm	425-495	60-210
QQ 6.5cm	415-505	40-220



C-015



Material	UF	
Size	415x345mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	385-445	85-205
QQ 5.5cm	380-450	75-225
QQ 6.5cm	370-460	55-235



C-016

Material	UF	
Size	465x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	435-495	110-230
QQ 5.5cm	430-500	100-240
QQ 6.5cm	420-510	80-260

C-017

Material	UF	
Size	455x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	425-485	65-185
QQ 5.5cm	420-490	55-195
QQ 6.5cm	410-500	35-215

C-023

Material	UF	
Size	410x345mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	380-440	65-185
QQ 5.5cm	375-445	55-195
QQ 6.5cm	365-455	35-215

C-024

Material	UF	
Size	450x375mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	60-180
QQ 5.5cm	415-485	50-190
QQ 6.5cm	405-495	30-210

C-018

Material	UF	
Size	465x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	435-495	80-200
QQ 5.5cm	430-500	70-210
QQ 6.5cm	420-510	50-230

C-019

Material	UF	
Size	450x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	60-180
QQ 5.5cm	415-495	50-190
QQ 6.5cm	405-505	30-210

C-025

Material	UF	
Size	435x350mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	405-465	70-190
QQ 5.5cm	400-470	60-200
QQ 6.5cm	390-490	40-220

C-026

Material	UF	
Size	445x340mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	415-475	110-230
QQ 5.5cm	410-480	100-240
QQ 6.5cm	400-490	80-260

C-020

Material	UF	
Size	430x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	400-460	110-230
QQ 5.5cm	395-465	100-240
QQ 6.5cm	385-475	80-260

C-020

Material	UF	
Size	430x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	400-460	110-230
QQ 5.5cm	395-465	100-240
QQ 6.5cm	385-475	80-260

C-027

Material	UF	
Size	445x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	415-475	80-200
QQ 5.5cm	410-480	70-210
QQ 6.5cm	400-490	50-230

C-028

Material	UF	
Size	435x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	405-465	70-190
QQ 5.5cm	400-470	60-200
QQ 6.5cm	390-480	70-220

C-021

Material	UF	
Size	445x350mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	415-475	90-210
QQ 5.5cm	410-480	80-220
QQ 6.5cm	400-490	60-240

C-022

Material	UF	
Size	470x350mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	440-500	80-200
QQ 5.5cm	435-505	70-210
QQ 6.5cm	425-515	50-230

C-029

Material	UF	
Size	465x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	435-495	50-140
QQ 5.5cm	430-500	40-150
QQ 6.5cm	420-510	20-170

C-030

Material	UF	
Size	445x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	415-475	110-230
QQ 5.5cm	410-480	100-240
QQ 6.5cm	390-490	80-260

C-031

Material	UF	
Size	440x345mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	410-470	65-185
QQ 5.5cm	405-475	55-195
QQ 6.5cm	395-485	35-215

C-032

Material	UF	
Size	440x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	410-470	65-185
QQ 5.5cm	405-475	55-195
QQ 6.5cm	395-485	35-215

C-039

Material	UF	
Size	440x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	410-470	65-185
QQ 5.5cm	405-475	55-195
QQ 6.5cm	395-485	35-215

C-039

Material	UF	
Size	440x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	410-470	65-185
QQ 5.5cm	405-475	55-195
QQ 6.5cm	395-585	35-215

C-033

Material	UF	
Size	485x380mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	455-515	110-230
QQ 5.5cm	450-520	100-240
QQ 6.5cm	440-530	80-260

C-034

Material	UF	
Size	465x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	435-495	110-230
QQ 5.5cm	430-500	100-240
QQ 6.5cm	420-510	80-260

C-040

Material	UF	
Size	425x366mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	395-455	65-185
QQ 5.5cm	390-460	55-195
QQ 6.5cm	380-470	35-215

C-041

Material	UF	
Size	475x400mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	440-505	60-180
QQ 5.5cm	435-510	50-190
QQ 6.5cm	425-520	30-210

C-035

Material	UF	
Size	460x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	65-185
QQ 5.5cm	425-495	55-195
QQ 6.5cm	415-505	35-215

C-036

Material	UF	
Size	450x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	110-230
QQ 5.5cm	415-485	100-240
QQ 6.5cm	405-495	80-260

C-042

Material	UF	
Size	460x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	65-185
QQ 5.5cm	425-495	55-195
QQ 6.5cm	415-510	35-215

C-043

Material	UF	
Size	450x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	110-230
QQ 5.5cm	415-485	100-240
QQ 6.5cm	405-495	80-260

C-037

Material	UF	
Size	440x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	410-470	65-185
QQ 5.5cm	405-475	55-195
QQ 6.5cm	395-485	35-215

C-038

Material	UF	
Size	440x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	410-470	65-185
QQ 5.5cm	405-475	55-195
QQ 6.5cm	395-485	35-215

C-044


Material	UF	
Size	450x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	105-225
QQ 5.5cm	415-485	95-235
QQ 6.5cm	405-495	75-255

C-045

Material	UF	
Size	485x380mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	455-515	70-200
QQ 5.5cm	450-520	60-210
QQ 6.5cm	460-530	40-230


C-046

Material	UF	
Size	480x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	450-510	70-190
QQ 5.5cm	445-515	60-200
QQ 6.5cm	435-525	40-220




C-047

Material	UF	
Size	460x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	88-208
QQ 5.5cm	425-495	78-218
QQ 6.5cm	415-505	58-238




C-054

Material	UF	
Size	430x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	400-460	105-225
QQ 5.5cm	395-465	95-235
QQ 6.5cm	385-475	75-255




C-055

Material	UF	
Size	415x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	385-445	60-180
QQ 5.5cm	380-450	50-190
QQ 6.5cm	370-460	30-210




C-048

Material	UF	
Size	485x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	455-515	100-220
QQ 5.5cm	450-520	90-230
QQ 6.5cm	440-530	70-250




C-049

Material	UF	
Size	470x395mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	440-500	100-220
QQ 5.5cm	435-505	90-230
QQ 6.5cm	425-515	70-250




C-056

Material	UF	
Size	445x375mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	415-475	90-210
QQ 5.5cm	410-480	80-220
QQ 6.5cm	400-490	60-240




C-057

Material	UF	
Size	452x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	422-482	105-225
QQ 5.5cm	417-487	95-235
QQ 6.5cm	407-497	75-255




C-050

Material	UF	
Size	470x375mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	440-500	100-220
QQ 5.5cm	435-505	90-230
QQ 6.5cm	425-515	70-250




C-051

Material	UF	
Size	410x345mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	380-440	65-185
QQ 5.5cm	375-445	55-195
QQ 6.5cm	365-455	35-215




C-058

Material	UF	
Size	485x365mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	430-490	65-185
QQ 5.5cm	425-495	55-195
QQ 6.5cm	415-510	35-215




C-059

Material	UF	
Size	420x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	390-450	65-185
QQ 5.5cm	385-455	55-195
QQ 6.5cm	375-465	35-215




C-052

Material	UF	
Size	440x357mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	410-470	110-230
QQ 5.5cm	405-475	100-240
QQ 6.5cm	395-485	80-260




C-053

Material	UF	
Size	445x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	415-475	115-235
QQ 5.5cm	410-480	105-245
QQ 6.5cm	400-490	85-265




C-060

Material	UF	
Size	420x345mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	390-450	65-185
QQ 5.5cm	385-455	55-195
QQ 6.5cm	375-465	35-215



C-061


Material	UF	
Size	465x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	435-495	60-180
QQ 5.5cm	430-500	50-190
QQ 6.5cm	420-510	30-210



C-062




Material	UF	
Size	410x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	380-440	65-185
QQ 5.5cm	375-445	55-195
QQ 6.5cm	365-455	35-215



C-551




Material	UF	
Size	440x390mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	405-475	55-195
QQ 6.5cm	395-485	35-215



C-558




Material	UF	
Size	430x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	395-465	55-195
QQ 6.5cm	385-475	35-215



C-559




Material	UF	
Size	420x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	390-450	65-185
QQ 5.5cm	385-455	55-195
QQ 6.5cm	375-465	35-215



C-552




Material	UF	
Size	420x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	385-455	55-195
QQ 6.5cm	375-465	35-215



C-553




Material	UF	
Size	435x350mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	400-470	55-195
QQ 6.5cm	390-480	35-215



C-560




Material	UF	
Size	455x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	425-485	65-185
QQ 5.5cm	420-490	55-195
QQ 6.5cm	410-500	35-215



C-561




Material	UF	
Size	410x345mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	380-440	65-185
QQ 5.5cm	375-445	55-195
QQ 6.5cm	365-455	35-215



C-554




Material	UF	
Size	445x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	410-480	55-195
QQ 6.5cm	400-490	35-215



C-555




Material	UF	
Size	465x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	430-500	55-195
QQ 6.5cm	420-510	35-215



C-562




Material	UF	
Size	445x340mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	415-475	65-185
QQ 5.5cm	410-480	55-195
QQ 6.5cm	400-490	35-215



C-563




Material	UF	
Size	410x335mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	380-440	65-185
QQ 5.5cm	375-445	55-195
QQ 6.5cm	365-455	35-215



C-556




Material	UF	
Size	470x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	435-505	55-195
QQ 6.5cm	425-515	35-215



C-557




Material	UF	
Size	460x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	425-495	55-195
QQ 6.5cm	415-505	35-215



C-564




Material	UF	
Size	433x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	403-463	65-185
QQ 5.5cm	398-468	55-195
QQ 6.5cm	388-478	35-215



CS001




Material	UF	
Size	455x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	425-485	110-230
QQ 5.5cm	420-490	100-240
QQ 6.5cm	410-500	80-260



CS002




Material	UF	
Size	445x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	415-475	65-185
QQ 5.5cm	410-480	55-195
QQ 6.5cm	400-490	35-215



CS003




Material	UF	
Size	455x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	425-485	65-185
QQ 5.5cm	420-490	55-195
QQ 6.5cm	410-500	35-215



CS010




Material	UF	
Size	465x370mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	435-495	95-215
QQ 5.5cm	430-500	85-225
QQ 6.5cm	420-510	65-245



CS004




Material	UF	
Size	455x360mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	425-485	110-230
QQ 5.5cm	420-490	100-240
QQ 6.5cm	410-500	80-260



CS005



Material	UF	
Size	450x350mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	65-185
QQ 5.5cm	415-485	55-195
QQ 6.5cm	405-495	35-215




UF COVER PLATE CHARACTERISTIC

CS006




Material	UF	
Size	445x380mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	415-475	120-240
QQ 5.5cm	410-480	110-250
QQ 6.5cm	400-490	90-270



CS007




Material	UF	
Size	465x395mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	435-495	65-185
QQ 5.5cm	430-500	55-195
QQ 6.5cm	420-510	35-215



CS008





Material	UF	
Size	450x355mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	130-250
QQ 5.5cm	415-485	120-260
QQ 6.5cm	405-495	100-280



CS009



Material	UF	
Size	465x395mm	
Hinge Type	Top installation/Quick release	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	435-495	65-185
QQ 5.5cm	430-500	55-195
QQ 6.5cm	420-510	35-215



duropIAsT
Hard surface, Scratch resistant

no color chAnge
Ceramic feeling, looks integrated with ceramic

resist Ant to cigArette burn
Very easy to be cleaned

resist Ant to dAily chemicAlS
UV-resistant, not easy to lose color


Antist Atic And dust repellent
Degraded in nature, environmental friendly



-  REAR WASH
-  LADY WASH
-  WATER TEMPERATURE
-  ADJUSTABLE SEAT HEATING TEMPERATURE


G-02

Name	Heated seat toilet seat cover
Size	520x375mm
Function	Manual button / Soft close Heated seat / Night light



G-03


Name	Sterilizing toilet seat cover
Size	520x375mm
Function	Sterilize



G-07




Name	Intelligent thermostatic toilet seat cover
Size	530x470x170mm
Function	Seat Temperature / Air Temperature Water Temperature / Water Pressure / Warm Air Light / Child / Auto / Women / Hip




G-05

Name	Changing film toilet seat cover
Size	495x400mm
Function	Manual button / Soft close Heated seat / Changing film



G-06


Name	Intelligent thermostatic toilet seat cover	
Size	450x380mm	
Function	Seat Heating / Light	
Adjustable Distance		
Foot Model	S1	S2
QQ 5.5cm	415-485	55-195
QQ 6.5cm	405-495	35-215



G-07A




Name	Intelligent thermostatic toilet seat cover
Size	520x365x150mm
Function	Seat Temperature / Air Temperature Water Temperature / Water Pressure Warm Air / Light / Child / Auto / Women Hip / Rotation Button



G-08




Name	Intelligent thermostatic toilet seat cover
Size	530x470x170mm
Function	Seat Temperature / Air Temperature Water Temperature / Water Pressure Warm Air / Light / Child / Auto Women / Hip



G-011




Name	Intelligent thermostatic toilet seat cover	
Size	450x360mm	
Function	Seat Heating / Light	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	80-200
QQ 5.5cm	415-485	70-210
QQ 6.5cm	405-495	40-230



G-012




Name	Intelligent thermostatic toilet seat cover	
Size	455x360mm	
Function	Seat Heating / Light	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	425-485	80-200
QQ 5.5cm	420-490	70-210
QQ 6.5cm	410-500	40-230



G-08A




Name	Intelligent thermostatic toilet seat cover
Size	505x380x160mm
Function	Seat Temperature / Air Temperature Water Temperature / Water Pressure Warm Air / Light / Child / Auto / Women Hip / Rotation Button



G-01




Name	Intelligent thermostatic toilet seat cover
Size	510x430mm
Function	Cleaning the buttocks / Lady wash / Nozzle self-cleaning / Soft close / Heated seat / Warm water cleansing



G-013




Name	Intelligent thermostatic toilet seat cover	
Size	450x365mm	
Function	Seat Heating / Light	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	420-480	60-180
QQ 5.5cm	415-485	50-190
QQ 6.5cm	405-495	30-210



G-014



Name	Intelligent thermostatic toilet seat cover	
Size	455x360mm	
Function	Seat Heating / Light	
Adjustable Distance		
Foot Model	S1	S2
QQ 5cm	435-495	80-200
QQ 5.5cm	430-500	70-210
QQ 6.5cm	420-510	40-230



FILL VALVE CHARACTERISTIC



FLUsh VALVE CHARACTERISTIC



D-01

FILL VALVE
Size : 180-280mm


FLUSH VALVE
Size : 280x63mm



D-01a

FILL VALVE
Size : 180-240mm


FLUSH VALVE
Size : 280x63mm



D-02

FILL VALVE
Size : 180-240mm

FLUSH VALVE
Size : 240x63mm



D-02a

FILL VALVE
Size : 180-240mm

FLUSH VALVE
Size : 240x63mm



D-03

FILL VALVE
Size : 180-200mm

FLUSH VALVE
Size : 200x63mm



D-03a

FILL VALVE
Size : 180-200mm

FLUSH VALVE
Size : 200x63mm



D-04

FILL VALVE
Size : 180-320mm

FLUSH VALVE
Size : 320x63mm



D-04a

FILL VALVE
Size : 180-320mm


FLUSH VALVE
Size : 320x63mm



D-07

FILL VALVE
Size : 180mm

FLUSH VALVE
Size : 180x63mm



D-07a

FILL VALVE
Size : 180mm

FLUSH VALVE
Size : 180x63mm



D-05

FILL VALVE
Size : 180-240mm

FLUSH VALVE
Size : 240x80mm



D-05a (3")

FILL VALVE
Size : 180-240mm

FLUSH VALVE
Size : 240x80mm



F-01

FILL VALVE
Size : 180-280mm

FLUSH VALVE
Size : 280x63mm



F-02

FILL VALVE
Size : 180-240mm

FLUSH VALVE
Size : 240x63mm



D-06

FILL VALVE
Size : 180-200mm

FLUSH VALVE
Size : 200x80mm



D-06a (3")

FILL VALVE
Size : 180-200mm

FLUSH VALVE
Size : 200x80mm



F-03

FILL VALVE
Size : 180-200mm


FLUSH VALVE
Size : 200x63mm



E-01

FILL VALVE
Size : 180-280mm


FLUSH VALVE
Size : 340x55mm



PS-01

FILL VALVE
Size : 210-310mm


FLUSH VALVE
Size : 280x63mm



PS-02

FILL VALVE
Size : 200-290mm


FLUSH VALVE
Size : 240x63mm



PS-03

FILL VALVE
Size : 200-260mm


FLUSH VALVE
Size : 200x63mm



R-05

TOP FILTER FILL VALVE
Size : 180-240mm


FLUSH VALVE
Size : 250x80mm



R-06

TOP FILTER FILL VALVE
Size : 180-200mm


FLUSH VALVE
Size : 210x80mm



R-08

TOP FILTER FILL VALVE
Size : 180mm

FLUSH VALVE
Size : 160x80mm



PS-05

FILL VALVE
Size : 180-240mm

FLUSH VALVE
Size : 250x80mm



PS-06

FILL VALVE
Size : 180-200mm


FLUSH VALVE
Size : 210x80mm



PS-08

FILL VALVE
Size : 200mm

FLUSH VALVE
Size : 160x80mm



RC-010

SIDE FILL VALVE
Size : 200-260mm


FLUSH VALVE
Size : 200x63mm



R-01

TOP FILTER FILL VALVE
Size : 210-310mm


FLUSH VALVE
Size : 280x63mm



R-02

TOP FILTER FILL VALVE
Size : 200-290mm


FLUSH VALVE
Size : 240x63mm



R-03

TOP FILTER FILL VALVE
Size : 200-260mm


FLUSH VALVE
Size : 200x63mm



B-001




Name	Water tank
Size	390x400x120mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer



B-006




Name	Water tank
Size	390x430x125mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer



B-009




Name	Water tank
Size	375x420x125mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer



B-010




Name	Water tank
Size	360x360x118mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer



B-003




Name	Water tank
Size	375x430x120mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer



B-004




Name	Water tank
Size	370x435x125mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer



B-011




Name	Water tank
Size	385x410x80mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer



B-012




Name	Water tank
Size	385x430x120mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer



B-005




Name	Water tank
Size	390x430x130mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer



B-006




Name	Water tank
Size	390x415x135mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer



B-013




Name	Water tank
Size	372x420x107mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer



B-014




Name	Water tank
Size	390x410x127mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer



B-007




Name	Water tank
Size	375x400x120mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer



B-008




Name	Water tank
Size	370x400x110mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer



B-015



Name	Water tank
Size	365x400x107mm
Displacement	3/6L adjustable
Installation	Wall-mounted installation
Flush	Washdown
Accessories	Drainage tail throat / hook / Screw / Sealing washer





A-001 Foot



Long foot



Short foot



Lengthened foot



Widen the long legs



Widen the extended feet



Widen the expansion feet



No slow down



Straight expansion



QQ screw



QQ screw



QQ screw



QQ screw



Rectangle button

Size : 76x43mm



Ellipse button

Size : 110x48mm



Round button

Size : Ø 58mm



Rectangle button

Size : 81x72mm



Round button

Size : Ø 48mm



Round button

Size : Ø 48mm



Round button

Size : Ø 38mm



Diamonds button

Size : 56x56mm



S-001 Eibow